

RESI-MBUSx-xxx

Our powerful gateways between M-BUS smart meter and MODBUS/RTU or MODBUS/TCP host. Read-out of smart meter data with M-BUS protocol according to EN 1434 and EN 13757. Connect water, heat, cold, gas or electricity meters with wired M-BUS interface via cable.



RESI-MBUS2-SIO	RS232 RS485	MBUS	2 Meter	40 Registers	MODBUS/RTU Slave
RESI-MBUS8-SIO	RS232 RS485	MBUS	8 Meter	400 Registers	MODBUS/RTU Slave
RESI-MBUS24-SIO	RS232 RS485	MBUS	24 Meter	1000 Registers	MODBUS/RTU Slave
RESI-MBUS48-SIO	RS232 RS485	MBUS	48 Meter	1200 Registers	MODBUS/RTU Slave
RESI-MBUS64-SIO	RS232 RS485	MBUS	64 Meter	1200 Registers	MODBUS/RTU Slave
RESI-MBUS2-ETH	ETHERNET	MBUS	2 Meter	40 Registers	MODBUS/TCP Server
RESI-MBUS8-ETH	ETHERNET	MBUS	8 Meter	400 Registers	MODBUS/TCP Server
RESI-MBUS24-ETH	ETHERNET	MBUS	24 Meter	1000 Registers	MODBUS/TCP Server
RESI-MBUS48-ETH	ETHERNET	MBUS	48 Meter	1200 Registers	MODBUS/TCP Server
RESI-MBUS64-ETH	ETHERNET	MBUS	64 Meter	1200 Registers	MODBUS/TCP Server